

PFAS Test Results Report

Waterworks Name: NCSA - LOVINGSTON

PWS ID: VA2125325



Collection Date: 7/7/2026

Report Date: 7/24/2026

Program ID: 1173

Report Prepared by TruePani Inc. as part of the
Virginia Department of Health Office of Drinking
Water (VDH ODW) PFAS Testing Program

Entry Point(s) Information

Entry Point ID	Sampling Point ID	Location	Photo
EPBR1	EPBR1	EP BROWN WELL	
EPDW1	EPDW1	EP DAWSON WELL	
EPPN1	EPPN1	EP PAYNE WELL	
EPRB2	EPRB2	EP RAINBOW WELL #2	
EPSS1	EPSS1	EP STATE SHED WELL	

Results Interpretation

Regulatory Thresholds

Compound	Maximum Contaminant Level (MCL)	Trigger Level	Practical Quantitation Level (PQL)
PFOA	4.0 ppt	2.0 ppt	4.0 ppt
PFOS	4.0 ppt	2.0 ppt	4.0 ppt
PFNA	10 ppt	5 ppt	4.0 ppt
PFHxS	10 ppt	5 ppt	3.0 ppt
HFPO-DA	10 ppt	5 ppt	5.0 ppt
Hazard Index	1 (unitless)	0.5 (unitless)	N/A

Key Terms	
Maximum Contaminant Level (MCL)	The highest level of a PFAS contaminant that is allowed in drinking water under federal regulations. MCLs must be achieved by April 2029. Compliance with a PFAS MCL is typically determined using a running annual average of monitoring results, rather than a single sample result.
Trigger Level	The trigger levels are used to determine a system's monitoring frequency after April 2027 and are set at one-half of the MCLs for regulated PFAS.
Practical Quantitation Level (PQL)	The PQL is defined as the lowest concentration of a contaminant that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operating conditions. The PQLs are used for the MCL compliance determination after Arpil 2027.
Hazard Index (HI)	The Hazard Index is an approach that determines the health concerns associated with mixtures of certain PFAS in finished drinking water. Low levels of multiple PFAS that individually would not likely result in adverse health effects may pose health concerns when combined in a mixture. The HI maximum contaminant level (MCL) represents the maximum level for mixtures of PFHxS, PFNA, HFPO-DA, and PFBS allowed in water delivered by a public water system.
Method Reporting Level (MRL)	The lowest concentration that a laboratory can reliably quantify with acceptable precision and accuracy.

NCSA - LOVINGSTON (VA2125325) Results

Program ID: 1173

Entry Point ID	Location	PFOA Result	PFOA MRL	PFOS Result	PFOS MRL	PFNA Result	HFPO-DA Result	PFHxS Result	Hazard Index
EPBR1	EP BROWN WELL	1.9 ppt PASS	1.9	3.0 ppt ABOVE TRIGGER LEVEL	1.9	<0.5 ppt PASS	<0.4 ppt PASS	0.7 ppt PASS	0.07 ppt PASS
EPDW1	EP DAWSON WELL	0.9 ppt PASS	1.9	1.6 ppt PASS	1.9	<0.5 ppt PASS	<0.4 ppt PASS	0.6 ppt PASS	0.06 ppt PASS
EPPN1	EP PAYNE WELL	<0.6 ppt PASS	1.8	<0.4 ppt PASS	1.8	<0.5 ppt PASS	<0.4 ppt PASS	<0.4 ppt PASS	0 ppt PASS
EPRB2	EP RAINBOW WELL #2	1.5 ppt PASS	2.0	0.6 ppt PASS	2.0	<0.5 ppt PASS	<0.4 ppt PASS	0.6 ppt PASS	0.06 ppt PASS
EPSS1	EP STATE SHED WELL	1.4 ppt PASS	2.0	1.2 ppt PASS	2.0	<0.5 ppt PASS	<0.4 ppt PASS	1.1 ppt PASS	0.1 ppt PASS



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

July 24, 2026

Sam Becker
TruePani, Inc
3915 Beryl Rd #125
Raleigh, NC 27607

RE: VA2125325

Dear Sam Becker:

Please find enclosed the analytical results for the **10** sample(s) the laboratory received on **7/8/26 9:25 am** and logged in under work order **JG01755**. All testing is performed according to our current TNI accreditations unless otherwise noted. This report cannot be reproduced, except in full, without the written permission of Pace Analytical Services, LLC.

If you have any questions regarding your report, please contact your project manager. Quality and timely data is of the utmost importance to us.

Pace Analytical Services appreciates the opportunity to provide you with analytical expertise . We are always trying to improve our customer service and we welcome you to contact the General Manager, Lisa Grant, with any feedback you have about your experience with our laboratory at 309-683-1764 or lisa.grant@pacelabs.com.

A handwritten signature in cursive script that reads 'Janet Clutters'.

Janet Clutters
Project Manager
(309) 692-9688 x1743
janet.clutters@pacelabs.com



ANALYTICAL RESULTS

Sample: JG01755-01

Name: 1173-1

Alias: EPBR1

Reg ID: VA2125325

Sampled: 07/07/26 11:23

Received: 07/08/26 09:25

Matrix: Drinking Water - Regular Sample

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Semivolatile Organics - PFAS - PIA									
PFBA	0.8	ng/L	J	1	0.6	1.9	07/14/26 19:05	DJB	EPA 533
PFMPA	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
PFPeA	1.3	ng/L	J	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
PFBS	0.8	ng/L	J	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
PFMBA	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
PFEESA	< 0.3	ng/L	U	1	0.3	1.9	07/14/26 19:05	DJB	EPA 533
HFPO-DA	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
NFDHA	< 0.5	ng/L	U	1	0.5	1.9	07/14/26 19:05	DJB	EPA 533
4:2 FTS	< 0.5	ng/L	U	1	0.5	1.9	07/14/26 19:05	DJB	EPA 533
PFHxS	0.7	ng/L	J	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
PFHpA	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
PFHxA	1.2	ng/L	J	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
ADONA	< 0.5	ng/L	U	1	0.5	1.9	07/14/26 19:05	DJB	EPA 533
PFPeS	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
6:2 FTS	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
PFOA	1.9	ng/L	J	1	0.6	1.9	07/14/26 19:05	DJB	EPA 533
PFHpS	< 0.5	ng/L	U	1	0.5	1.9	07/14/26 19:05	DJB	EPA 533
PFOS	3.0	ng/L		1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
PFNA	< 0.5	ng/L	U	1	0.5	1.9	07/14/26 19:05	DJB	EPA 533
9CI-PF3ONS	< 0.3	ng/L	U	1	0.3	1.9	07/14/26 19:05	DJB	EPA 533
8:2 FTS	< 0.5	ng/L	U	1	0.5	1.9	07/14/26 19:05	DJB	EPA 533
PFDA	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
PFUnA	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
11CI-PF3OUdS	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:05	DJB	EPA 533
PFDoA	< 0.6	ng/L	U	1	0.6	1.9	07/14/26 19:05	DJB	EPA 533
Surrogate: 13C4-PFBA-SURR	89 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C5-PFPeA-SURR	100 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C3-PFBS-SURR	95 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C2-4:2FTS-SURR	100 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C5-PFHxA-SURR	90 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C3-HFPOA-DA-SURR	90 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C4-PFHpA-SURR	86 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C3-PFHxS-SURR	92 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C2-6:2FTS-SURR	93 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C8-PFOA-SURR	85 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C9-PFNA-SURR	86 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C8-PFOS-SURR	98 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C2-8:2FTS-SURR	100 %	50-200					07/14/26 19:05	DJB	EPA 533



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: JG01755-01

Name: 1173-1

Alias: EPBR1

Reg ID: VA2125325

Sampled: 07/07/26 11:23

Received: 07/08/26 09:25

Matrix: Drinking Water - Regular Sample

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Surrogate: 13C6-PFDA-SURR	86 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C7-PFUnA-SURR	82 %	50-200					07/14/26 19:05	DJB	EPA 533
Surrogate: 13C2-PFDoA-SURR	86 %	50-200					07/14/26 19:05	DJB	EPA 533



ANALYTICAL RESULTS

Sample: JG01755-02

Name: FRB-1173-1

Alias: EPBR1

Reg ID: VA2125325

Sampled: 07/07/26 11:23

Received: 07/08/26 09:25

Matrix: Water - Field Blank

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Semivolatile Organics - PFAS - PIA									
PFBA	< 0.6	ng/L	U	1	0.6	2.0	07/21/26 20:59	DJB	EPA 533
PFMPA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 20:59	DJB	EPA 533
PFPeA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
PFBS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
PFMBA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
PFEESA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
HFPO-DA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
NFDHA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 20:59	DJB	EPA 533
4:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 20:59	DJB	EPA 533
PFHxS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
PFHpA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
PFHxA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
ADONA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 20:59	DJB	EPA 533
PFPeS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
6:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 20:59	DJB	EPA 533
PFOA	< 0.7	ng/L	U	1	0.7	2.0	07/21/26 20:59	DJB	EPA 533
PFHpS	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 20:59	DJB	EPA 533
PFOS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
PFNA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 20:59	DJB	EPA 533
9CI-PF3ONS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
8:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 20:59	DJB	EPA 533
PFDA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 20:59	DJB	EPA 533
PFUnA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
11CI-PF3OUdS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 20:59	DJB	EPA 533
PFDaA	< 0.6	ng/L	U	1	0.6	2.0	07/21/26 20:59	DJB	EPA 533
Surrogate: 13C4-PFBA-SURR	96 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C5-PFPeA-SURR	96 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C3-PFBS-SURR	78 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C2-4:2FTS-SURR	90 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C5-PFHxA-SURR	91 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C3-HFPOA-DA-SURR	101 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C4-PFHpA-SURR	85 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C3-PFHxS-SURR	89 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C2-6:2FTS-SURR	88 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C8-PFOA-SURR	86 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C9-PFNA-SURR	85 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C8-PFOS-SURR	103 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C2-8:2FTS-SURR	91 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C6-PFDA-SURR	88 %	50-200					07/21/26 20:59	DJB	EPA 533



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: JG01755-02

Name: FRB-1173-1

Alias: EPBR1

Reg ID: VA2125325

Sampled: 07/07/26 11:23

Received: 07/08/26 09:25

Matrix: Water - Field Blank

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Surrogate: 13C7-PFUnA-SURR	79 %	50-200					07/21/26 20:59	DJB	EPA 533
Surrogate: 13C2-PFDoA-SURR	86 %	50-200					07/21/26 20:59	DJB	EPA 533



ANALYTICAL RESULTS

Sample: JG01755-03

Name: 1173-2

Alias: EPDW1

Reg ID: VA2125325

Sampled: 07/07/26 10:39

Received: 07/08/26 09:25

Matrix: Drinking Water - Regular Sample

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Semivolatile Organics - PFAS - PIA									
PFBA	< 0.6	ng/L	U	1	0.6	1.9	07/14/26 19:28	DJB	EPA 533
PFMPA	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
PFPeA	0.7	ng/L	J	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
PFBS	0.4	ng/L	J	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
PFMBA	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
PFEESA	< 0.3	ng/L	U	1	0.3	1.9	07/14/26 19:28	DJB	EPA 533
HFPO-DA	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
NFDHA	< 0.5	ng/L	U	1	0.5	1.9	07/14/26 19:28	DJB	EPA 533
4:2 FTS	< 0.5	ng/L	U	1	0.5	1.9	07/14/26 19:28	DJB	EPA 533
PFHxS	0.6	ng/L	J	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
PFHpA	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
PFHxA	0.6	ng/L	J	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
ADONA	< 0.5	ng/L	U	1	0.5	1.9	07/14/26 19:28	DJB	EPA 533
PFPeS	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
6:2 FTS	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
PFOA	0.9	ng/L	J	1	0.6	1.9	07/14/26 19:28	DJB	EPA 533
PFHpS	< 0.5	ng/L	U	1	0.5	1.9	07/14/26 19:28	DJB	EPA 533
PFOS	1.6	ng/L	J	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
PFNA	< 0.5	ng/L	U	1	0.5	1.9	07/14/26 19:28	DJB	EPA 533
9CI-PF3ONS	< 0.3	ng/L	U	1	0.3	1.9	07/14/26 19:28	DJB	EPA 533
8:2 FTS	< 0.5	ng/L	U	1	0.5	1.9	07/14/26 19:28	DJB	EPA 533
PFDA	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
PFUnA	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
11CI-PF3OUdS	< 0.4	ng/L	U	1	0.4	1.9	07/14/26 19:28	DJB	EPA 533
PFDoA	< 0.6	ng/L	U	1	0.6	1.9	07/14/26 19:28	DJB	EPA 533
Surrogate: 13C4-PFBA-SURR	72 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C5-PFPeA-SURR	76 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C3-PFBS-SURR	98 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C2-4:2FTS-SURR	105 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C5-PFHxA-SURR	72 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C3-HFPOA-DA-SURR	70 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C4-PFHpA-SURR	69 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C3-PFHxS-SURR	95 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C2-6:2FTS-SURR	97 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C8-PFOA-SURR	69 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C9-PFNA-SURR	66 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C8-PFOS-SURR	102 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C2-8:2FTS-SURR	103 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C6-PFDA-SURR	67 %	50-200					07/14/26 19:28	DJB	EPA 533



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: JG01755-03

Name: 1173-2

Alias: EPDW1

Reg ID: VA2125325

Sampled: 07/07/26 10:39

Received: 07/08/26 09:25

Matrix: Drinking Water - Regular Sample

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Surrogate: 13C7-PFUnA-SURR	66 %	50-200					07/14/26 19:28	DJB	EPA 533
Surrogate: 13C2-PFDoA-SURR	75 %	50-200					07/14/26 19:28	DJB	EPA 533



ANALYTICAL RESULTS

Sample: JG01755-04

Name: FRB-1173-2

Alias: EPDW1

Reg ID: VA2125325

Sampled: 07/07/26 10:39

Received: 07/08/26 09:25

Matrix: Water - Field Blank

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Semivolatile Organics - PFAS - PIA									
PFBA	< 0.6	ng/L	U	1	0.6	2.0	07/21/26 21:22	DJB	EPA 533
PFMPA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:22	DJB	EPA 533
PFPeA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
PFBS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
PFMBA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
PFEESA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
HFPO-DA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
NFDHA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:22	DJB	EPA 533
4:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:22	DJB	EPA 533
PFHxS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
PFHpA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
PFHxA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
ADONA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:22	DJB	EPA 533
PFPeS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
6:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:22	DJB	EPA 533
PFOA	< 0.7	ng/L	U	1	0.7	2.0	07/21/26 21:22	DJB	EPA 533
PFHpS	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:22	DJB	EPA 533
PFOS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
PFNA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:22	DJB	EPA 533
9CI-PF3ONS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
8:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:22	DJB	EPA 533
PFDA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:22	DJB	EPA 533
PFUnA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
11CI-PF3OUdS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:22	DJB	EPA 533
PFDaA	< 0.6	ng/L	U	1	0.6	2.0	07/21/26 21:22	DJB	EPA 533
Surrogate: 13C4-PFBA-SURR	93 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C5-PFPeA-SURR	93 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C3-PFBS-SURR	76 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C2-4:2FTS-SURR	87 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C5-PFHxA-SURR	89 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C3-HFPOA-DA-SURR	94 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C4-PFHpA-SURR	81 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C3-PFHxS-SURR	87 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C2-6:2FTS-SURR	87 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C8-PFOA-SURR	83 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C9-PFNA-SURR	83 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C8-PFOS-SURR	103 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C2-8:2FTS-SURR	91 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C6-PFDA-SURR	84 %	50-200					07/21/26 21:22	DJB	EPA 533



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: JG01755-04

Name: FRB-1173-2

Alias: EPDW1

Reg ID: VA2125325

Sampled: 07/07/26 10:39

Received: 07/08/26 09:25

Matrix: Water - Field Blank

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Surrogate: 13C7-PFUnA-SURR	80 %	50-200					07/21/26 21:22	DJB	EPA 533
Surrogate: 13C2-PFDoA-SURR	87 %	50-200					07/21/26 21:22	DJB	EPA 533



ANALYTICAL RESULTS

Sample: JG01755-05

Name: 1173-3

Alias: EPPN1

Reg ID: VA2125325

Sampled: 07/07/26 10:57

Received: 07/08/26 09:25

Matrix: Drinking Water - Regular Sample

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Semivolatile Organics - PFAS - PIA									
PFBA	1.1	ng/L	J	1	0.6	1.8	07/14/26 19:51	DJB	EPA 533
PFMPA	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
PFPeA	< 0.3	ng/L	U	1	0.3	1.8	07/14/26 19:51	DJB	EPA 533
PFBS	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
PFMBA	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
PFEESA	< 0.3	ng/L	U	1	0.3	1.8	07/14/26 19:51	DJB	EPA 533
HFPO-DA	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
NFDHA	< 0.5	ng/L	U	1	0.5	1.8	07/14/26 19:51	DJB	EPA 533
4:2 FTS	< 0.5	ng/L	U	1	0.5	1.8	07/14/26 19:51	DJB	EPA 533
PFHxS	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
PFHpA	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
PFHxA	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
ADONA	< 0.5	ng/L	U	1	0.5	1.8	07/14/26 19:51	DJB	EPA 533
PFPeS	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
6:2 FTS	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
PFOA	< 0.6	ng/L	U	1	0.6	1.8	07/14/26 19:51	DJB	EPA 533
PFHpS	< 0.5	ng/L	U	1	0.5	1.8	07/14/26 19:51	DJB	EPA 533
PFOS	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
PFNA	< 0.5	ng/L	U	1	0.5	1.8	07/14/26 19:51	DJB	EPA 533
9CI-PF3ONS	< 0.3	ng/L	U	1	0.3	1.8	07/14/26 19:51	DJB	EPA 533
8:2 FTS	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
PFDA	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
PFUnA	< 0.3	ng/L	U	1	0.3	1.8	07/14/26 19:51	DJB	EPA 533
11CI-PF3OUdS	< 0.4	ng/L	U	1	0.4	1.8	07/14/26 19:51	DJB	EPA 533
PFDoA	< 0.6	ng/L	U	1	0.6	1.8	07/14/26 19:51	DJB	EPA 533
Surrogate: 13C4-PFBA-SURR	69 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C5-PFPeA-SURR	77 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C3-PFBS-SURR	96 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C2-4:2FTS-SURR	103 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C5-PFHxA-SURR	71 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C3-HFPOA-DA-SURR	69 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C4-PFHpA-SURR	68 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C3-PFHxS-SURR	94 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C2-6:2FTS-SURR	97 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C8-PFOA-SURR	65 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C9-PFNA-SURR	66 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C8-PFOS-SURR	99 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C2-8:2FTS-SURR	102 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C6-PFDA-SURR	67 %	50-200					07/14/26 19:51	DJB	EPA 533



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: JG01755-05

Name: 1173-3

Alias: EPPN1

Reg ID: VA2125325

Sampled: 07/07/26 10:57

Received: 07/08/26 09:25

Matrix: Drinking Water - Regular Sample

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Surrogate: 13C7-PFUnA-SURR	67 %	50-200					07/14/26 19:51	DJB	EPA 533
Surrogate: 13C2-PFDoA-SURR	75 %	50-200					07/14/26 19:51	DJB	EPA 533



ANALYTICAL RESULTS

Sample: JG01755-07

Name: 1173-4

Alias: EPRB2

Reg ID: VA2125325

Sampled: 07/07/26 10:20

Received: 07/08/26 09:25

Matrix: Drinking Water - Regular Sample

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Semivolatile Organics - PFAS - PIA									
PFBA	0.9	ng/L	J	1	0.6	2.0	07/14/26 20:14	DJB	EPA 533
PFMPA	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:14	DJB	EPA 533
PFPeA	1.6	ng/L	J	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
PFBS	0.9	ng/L	J	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
PFMBA	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
PFEESA	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
HFPO-DA	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
NFDHA	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:14	DJB	EPA 533
4:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:14	DJB	EPA 533
PFHxS	0.6	ng/L	J	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
PFHpA	0.6	ng/L	J	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
PFHxA	1.4	ng/L	J	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
ADONA	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:14	DJB	EPA 533
PFPeS	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
6:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:14	DJB	EPA 533
PFOA	1.5	ng/L	J	1	0.7	2.0	07/14/26 20:14	DJB	EPA 533
PFHpS	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:14	DJB	EPA 533
PFOS	0.6	ng/L	J	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
PFNA	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:14	DJB	EPA 533
9CI-PF3ONS	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
8:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:14	DJB	EPA 533
PFDA	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:14	DJB	EPA 533
PFUnA	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
11CI-PF3OUdS	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:14	DJB	EPA 533
PFDoA	< 0.6	ng/L	U	1	0.6	2.0	07/14/26 20:14	DJB	EPA 533
Surrogate: 13C4-PFBA-SURR	90 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C5-PFPeA-SURR	103 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C3-PFBS-SURR	93 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C2-4:2FTS-SURR	102 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C5-PFHxA-SURR	90 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C3-HFPOA-DA-SURR	91 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C4-PFHpA-SURR	86 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C3-PFHxS-SURR	90 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C2-6:2FTS-SURR	92 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C8-PFOA-SURR	85 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C9-PFNA-SURR	85 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C8-PFOS-SURR	96 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C2-8:2FTS-SURR	99 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C6-PFDA-SURR	82 %	50-200					07/14/26 20:14	DJB	EPA 533



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: JG01755-07

Name: 1173-4

Alias: EPRB2

Reg ID: VA2125325

Sampled: 07/07/26 10:20

Received: 07/08/26 09:25

Matrix: Drinking Water - Regular Sample

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Surrogate: 13C7-PFUnA-SURR	81 %	50-200					07/14/26 20:14	DJB	EPA 533
Surrogate: 13C2-PFDoA-SURR	87 %	50-200					07/14/26 20:14	DJB	EPA 533



ANALYTICAL RESULTS

Sample: JG01755-08

Name: FRB-1173-4

Alias: EPRB2

Reg ID: VA2125325

Sampled: 07/07/26 10:20

Received: 07/08/26 09:25

Matrix: Water - Field Blank

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Semivolatile Organics - PFAS - PIA									
PFBA	< 0.6	ng/L	U	1	0.6	2.0	07/21/26 21:45	DJB	EPA 533
PFMPA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:45	DJB	EPA 533
PFPeA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
PFBS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
PFMBA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
PFEESA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
HFPO-DA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
NFDHA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:45	DJB	EPA 533
4:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:45	DJB	EPA 533
PFHxS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
PFHpA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
PFHxA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
ADONA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:45	DJB	EPA 533
PFPeS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
6:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:45	DJB	EPA 533
PFOA	< 0.7	ng/L	U	1	0.7	2.0	07/21/26 21:45	DJB	EPA 533
PFHpS	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:45	DJB	EPA 533
PFOS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
PFNA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:45	DJB	EPA 533
9CI-PF3ONS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
8:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:45	DJB	EPA 533
PFDA	< 0.5	ng/L	U	1	0.5	2.0	07/21/26 21:45	DJB	EPA 533
PFUnA	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
11CI-PF3OUdS	< 0.4	ng/L	U	1	0.4	2.0	07/21/26 21:45	DJB	EPA 533
PFDoA	< 0.6	ng/L	U	1	0.6	2.0	07/21/26 21:45	DJB	EPA 533
Surrogate: 13C4-PFBA-SURR	84 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C5-PFPeA-SURR	83 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C3-PFBS-SURR	76 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C2-4:2FTS-SURR	88 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C5-PFHxA-SURR	79 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C3-HFPOA-DA-SURR	87 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C4-PFHpA-SURR	74 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C3-PFHxS-SURR	88 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C2-6:2FTS-SURR	87 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C8-PFOA-SURR	76 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C9-PFNA-SURR	76 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C8-PFOS-SURR	104 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C2-8:2FTS-SURR	92 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C6-PFDA-SURR	77 %	50-200					07/21/26 21:45	DJB	EPA 533



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: JG01755-08

Name: FRB-1173-4

Alias: EPRB2

Reg ID: VA2125325

Sampled: 07/07/26 10:20

Received: 07/08/26 09:25

Matrix: Water - Field Blank

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Surrogate: 13C7-PFUnA-SURR	73 %	50-200					07/21/26 21:45	DJB	EPA 533
Surrogate: 13C2-PFDoA-SURR	81 %	50-200					07/21/26 21:45	DJB	EPA 533



ANALYTICAL RESULTS

Sample: JG01755-09

Name: 1173-5

Alias: EPSS1

Reg ID: VA2125325

Sampled: 07/07/26 11:12

Received: 07/08/26 09:25

Matrix: Drinking Water - Regular Sample

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Semivolatile Organics - PFAS - PIA									
PFBA	0.8	ng/L	J	1	0.6	2.0	07/14/26 20:37	DJB	EPA 533
PFMPA	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:37	DJB	EPA 533
PFPeA	1.1	ng/L	J	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
PFBS	1.5	ng/L	J	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
PFMBA	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
PFEESA	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
HFPO-DA	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
NFDHA	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:37	DJB	EPA 533
4:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:37	DJB	EPA 533
PFHxS	1.1	ng/L	J	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
PFHpA	0.5	ng/L	J	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
PFHxA	1.0	ng/L	J	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
ADONA	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:37	DJB	EPA 533
PFPeS	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
6:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:37	DJB	EPA 533
PFOA	1.4	ng/L	J	1	0.7	2.0	07/14/26 20:37	DJB	EPA 533
PFHpS	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:37	DJB	EPA 533
PFOS	1.2	ng/L	J	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
PFNA	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:37	DJB	EPA 533
9CI-PF3ONS	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
8:2 FTS	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:37	DJB	EPA 533
PFDA	< 0.5	ng/L	U	1	0.5	2.0	07/14/26 20:37	DJB	EPA 533
PFUnA	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
11CI-PF3OUdS	< 0.4	ng/L	U	1	0.4	2.0	07/14/26 20:37	DJB	EPA 533
PFDaA	< 0.6	ng/L	U	1	0.6	2.0	07/14/26 20:37	DJB	EPA 533
Surrogate: 13C4-PFBA-SURR	92 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C5-PFPeA-SURR	102 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C3-PFBS-SURR	96 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C2-4:2FTS-SURR	103 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C5-PFHxA-SURR	93 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C3-HFPOA-DA-SURR	95 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C4-PFHpA-SURR	89 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C3-PFHxS-SURR	92 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C2-6:2FTS-SURR	96 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C8-PFOA-SURR	91 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C9-PFNA-SURR	91 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C8-PFOS-SURR	97 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C2-8:2FTS-SURR	103 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C6-PFDA-SURR	90 %	50-200					07/14/26 20:37	DJB	EPA 533



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: JG01755-09

Name: 1173-5

Alias: EPSS1

Reg ID: VA2125325

Sampled: 07/07/26 11:12

Received: 07/08/26 09:25

Matrix: Drinking Water - Regular Sample

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Surrogate: 13C7-PFUnA-SURR	86 %	50-200					07/14/26 20:37	DJB	EPA 533
Surrogate: 13C2-PFDoA-SURR	93 %	50-200					07/14/26 20:37	DJB	EPA 533



ANALYTICAL RESULTS

Sample: JG01755-10

Name: FRB-1173-5

Alias: EPSS1

Reg ID: VA2125325

Sampled: 07/07/26 11:12

Received: 07/08/26 09:25

Matrix: Water - Field Blank

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Semivolatile Organics - PFAS - PIA									
PFBA	< 0.7	ng/L	U	1	0.7	2.1	07/21/26 22:08	DJB	EPA 533
PFMPA	< 0.5	ng/L	U	1	0.5	2.1	07/21/26 22:08	DJB	EPA 533
PFPeA	< 0.4	ng/L	U	1	0.4	2.1	07/21/26 22:08	DJB	EPA 533
PFBS	< 0.4	ng/L	U	1	0.4	2.1	07/21/26 22:08	DJB	EPA 533
PFMBA	< 0.4	ng/L	U	1	0.4	2.1	07/21/26 22:08	DJB	EPA 533
PFEESA	< 0.4	ng/L	U	1	0.4	2.1	07/21/26 22:08	DJB	EPA 533
HFPO-DA	< 0.5	ng/L	U	1	0.5	2.1	07/21/26 22:08	DJB	EPA 533
NFDHA	< 0.5	ng/L	U	1	0.5	2.1	07/21/26 22:08	DJB	EPA 533
4:2 FTS	< 0.5	ng/L	U	1	0.5	2.1	07/21/26 22:08	DJB	EPA 533
PFHxS	< 0.4	ng/L	U	1	0.4	2.1	07/21/26 22:08	DJB	EPA 533
PFHpA	< 0.5	ng/L	U	1	0.5	2.1	07/21/26 22:08	DJB	EPA 533
PFHxA	< 0.5	ng/L	U	1	0.5	2.1	07/21/26 22:08	DJB	EPA 533
ADONA	< 0.6	ng/L	U	1	0.6	2.1	07/21/26 22:08	DJB	EPA 533
PFPeS	< 0.5	ng/L	U	1	0.5	2.1	07/21/26 22:08	DJB	EPA 533
6:2 FTS	< 0.5	ng/L	U	1	0.5	2.1	07/21/26 22:08	DJB	EPA 533
PFOA	< 0.7	ng/L	U	1	0.7	2.1	07/21/26 22:08	DJB	EPA 533
PFHpS	< 0.5	ng/L	U	1	0.5	2.1	07/21/26 22:08	DJB	EPA 533
PFOS	< 0.5	ng/L	U	1	0.5	2.1	07/21/26 22:08	DJB	EPA 533
PFNA	< 0.6	ng/L	U	1	0.6	2.1	07/21/26 22:08	DJB	EPA 533
9CI-PF3ONS	< 0.4	ng/L	U	1	0.4	2.1	07/21/26 22:08	DJB	EPA 533
8:2 FTS	< 0.5	ng/L	U	1	0.5	2.1	07/21/26 22:08	DJB	EPA 533
PFDA	< 0.5	ng/L	U	1	0.5	2.1	07/21/26 22:08	DJB	EPA 533
PFUnA	< 0.4	ng/L	U	1	0.4	2.1	07/21/26 22:08	DJB	EPA 533
11CI-PF3OUdS	< 0.4	ng/L	U	1	0.4	2.1	07/21/26 22:08	DJB	EPA 533
PFDaA	< 0.7	ng/L	U	1	0.7	2.1	07/21/26 22:08	DJB	EPA 533
Surrogate: 13C4-PFBA-SURR	93 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C5-PFPeA-SURR	93 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C3-PFBS-SURR	74 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C2-4:2FTS-SURR	88 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C5-PFHxA-SURR	87 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C3-HFPOA-DA-SURR	93 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C4-PFHpA-SURR	81 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C3-PFHxS-SURR	87 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C2-6:2FTS-SURR	85 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C8-PFOA-SURR	83 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C9-PFNA-SURR	82 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C8-PFOS-SURR	102 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C2-8:2FTS-SURR	89 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C6-PFDA-SURR	86 %	50-200					07/21/26 22:08	DJB	EPA 533



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: JG01755-10

Name: FRB-1173-5

Alias: EPSS1

Reg ID: VA2125325

Sampled: 07/07/26 11:12

Received: 07/08/26 09:25

Matrix: Water - Field Blank

Parameter	Result	Unit	Qualifier	Dilution	MDL	MRL	Analyzed	Analyst	Method
Surrogate: 13C7-PFUnA-SURR	81 %	50-200					07/21/26 22:08	DJB	EPA 533
Surrogate: 13C2-PFDoA-SURR	88 %	50-200					07/21/26 22:08	DJB	EPA 533



NOTES

Specifications regarding method revisions, method modifications, and calculations used for analysis are available upon request. Please contact your project manager.

* Not a TNI accredited analyte

Certifications

CHI - McHenry, IL - 4314-A W. Crystal Lake Road, McHenry, IL 60050

TNI Accreditation for Drinking Water and Wastewater Fields of Testing through IL EPA Accreditation No. 100279

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory Registry No. 17556

PIA - Peoria, IL - 2231 W. Altorfer Drive, Peoria, IL 61615

TNI Accreditation for Drinking Water, Wastewater, Solid and Hazardous Material Fields of Testing through IL EPA Accreditation No. 100230

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory Registry No. 17553

Drinking Water Certifications/Accreditations: Iowa (240); Kansas (E-10338); Missouri (870)

Wastewater Certifications/Accreditations: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

Solid and Hazardous Material Certifications/Accreditations: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

SPMO - Springfield, MO - 1805 W Sunset Street, Springfield, MO 65807

USEPA DMR-QA Program

STL - Hazelwood, MO - 944 Anglum Rd, Hazelwood, MO 63042

TNI Accreditation for Wastewater, Solid and Hazardous Material Fields of Testing through KS KDHE Certification No. E-10389

TNI Accreditation for Wastewater, Solid and Hazardous Material Fields of Testing through IL EPA Accreditation No. - 200080

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory, Registry No. 171050

Missouri Department of Natural Resources - Certificate of Approval for Microbiological Laboratory Service - No. 1050

Qualifiers

- J Estimated value; value between the Method Detection Limit and Method Reporting Limit.
- U Parameter was analyzed for, but not detected above the reporting limit.

Certified by: Janet Clutters, Project Manager



CHAIN-OF-CUSTODY PFAS / Analytical Request Document

JG01755

Page 1 of 1

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A: Client Information	Section B: Project Information	Section C: Invoice Information	Regulatory Agency:
Company: TRUEPANI, INC Email: sam@truepani.com Phone: (865) 346-6737	Report To: vapfas@truepani.com PWS ID: VA2125325 PWS Name: NCSA - LOVINGSTON	Attention: TruePani ACCOUNTS PAYABLE Company Address: 3915 Beryl Road #125 Raleigh, NC 27607 Pace Project Manager: janet.clutters@pacelabs.com	Virginia Department of Health Office of Drinking Water Used for Compliance? Yes (DW NPDWR PFAS)

*All samples preserved with Ammonium Acetate

Y = Yes Analyze

H = Hold

Entry Point Samples

Sample ID	Facility ID/EP ID	Sampling Point ID	Entry Point Location	Matrix	Sample Type	Sample Date	Sample Time	# of Containers	Analysis: 533 PFAS	Comments
1173-1	EPBR1	EPBR1	EP BROWN WELL	DW	Grab	7/7/2026	11:23 AM / PM	3	Y	
1173-2	EPDW1	EPDW1	EP DAWSON WELL	DW	Grab	7/7/2026	10:39 AM / PM	3	Y	
1173-3	EPPN1	EPPN1	EP PAYNE WELL	DW	Grab	7/7/2026	10:57 AM / PM	3	Y	
1173-4	EPRB2	EPRB2	EP RAINBOW WELL #2	DW	Grab	7/7/2026	10:20 AM / PM	3	Y	
1173-5	EPSS1	EPSS1	EP STATE SHED WELL	DW	Grab	7/7/2026	11:12 AM / PM	3	Y	

Field Reagent Blank (FRB) Samples

Sample ID	Facility ID/EP ID	Sampling Point ID	Entry Point Location	Matrix	Sample Type	Sample Date	Sample Time	# of Containers	Analysis: 533 FRB	Comments
FRB-1173-1	EPBR1	EPBR1	EP BROWN WELL	DW	Grab	7/7/2026	11:23 AM / PM	2	H	
FRB-1173-2	EPDW1	EPDW1	EP DAWSON WELL	DW	Grab	7/7/2026	10:39 AM / PM	2	H	
FRB-1173-3	EPPN1	EPPN1	EP PAYNE WELL	DW	Grab	7/7/2026	10:57 AM / PM	2	H	
FRB-1173-4	EPRB2	EPRB2	EP RAINBOW WELL #2	DW	Grab	7/7/2026	10:20 AM / PM	2	H	
FRB-1173-5	EPSS1	EPSS1	EP STATE SHED WELL	DW	Grab	7/7/2026	11:12 AM / PM	2	H	

IR Gun # 19 Correction Factor (Deg C) -0.1

Observed Temp (Deg C) 1.1 Corrected Temp (Deg C) 1.0

Delivery Method: FedEx UPS Walk-in USPS Other

Field Duplicate Samples

Sample ID	Facility ID/EP ID	Sampling Point ID	Entry Point Location	Matrix	Sample Type	Sample Date	Sample Time	# of Containers	Analysis: 533 PFAS	Comments
-----------	-------------------	-------------------	----------------------	--------	-------------	-------------	-------------	-----------------	--------------------	----------

RELINQUISHED BY	DATE AND TIME	ACCEPTED BY	DATE AND TIME
Isam Ahmed	7/7/26 4:00 PM	Camelia Beemer	7-8-26 9:25

SAMPLER NAME AND SIGNATURE	
Print Name of Sampler:	Isam Ahmed
Signature of Sampler:	<i>[Signature]</i>
Date Signed:	7/7/26

SAMPLE CONDITIONS (Lab Use)	
TEMP (C):	
RECEIVED ON ICE (Y/N):	
Custody Sealed Cooler (Y/N):	
Samples Intact (Y/N):	
Samples Meet NPDWR PFAS Requirements (Y/N):	

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451	1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466	1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479	1480	1481	1482	1483	1484	1485	1486	1487	1488	1489	1490	1491	1492	1493	1494	1495	149
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----

ENV-FRM-PEOR-0098 v05_Sample Condition Upon Receipt

Client Name: True Pan Work Order #: JG01755 Completed by / Date: CB 7-8-26

Custody seal on cooler/box present and seal intact:	☐ Yes ☐ No ☒ N/A
Chain of Custody (CoC) Present:	☒ Yes ☐ No
CoC is Legible:	☐ Yes ☐ No
Sampler Name Present on CoC:	☐ Yes ☐ No
Sampler Signature Present on CoC:	☐ Yes ☐ No
Sample Collection Date Present on CoC:	☐ Yes ☐ No
Sample Collection Time Present on CoC:	☐ Yes ☐ No
CoC Relinquished by Client:	☐ Yes ☐ No
Unique Sample ID's Present on CoC:	☐ Yes ☐ No
CoC and Sample Container Labels Match:	☐ Yes ☐ No
Sample chilling process started prior to receipt: If yes, what type of ice:	☐ Yes ☐ No ☐ N/A ☐ Wet ☐ Blue
Samples received within temperature compliance: ($\leq 6^{\circ}\text{C}$, but above freezing or received same day collected and chill process started prior to receipt)	☐ Yes ☐ No ☐ N/A
Container(s) Received Intact:	☐ Yes ☐ No
Containers Received Labeled and Labels are Legible:	☐ Yes ☐ No
Appropriate Bottles Received for Analysis Requested:	☐ Yes ☐ No
Sufficient Sample Volume Received:	☐ Yes ☐ No
USDA Regulated Soil: Country of Origin: _____ State of Origin: _____	☐ Yes ☐ No ☒ N/A
Trip Blank(s) Received: If present, are they Listed on CoC:	☐ Yes ☐ No ☒ N/A ☐ Yes ☐ No
VOA vials are free of any headspace larger than pea sized bubble (>6mm) – Applies to methods 8260, 624, 524.2 - including THM vials *If headspace is present, note sample ID and # of vials	☐ Yes ☐ No ☒ N/A
All (Non-Field) Analysis Received Within Hold Times:	☐ Yes ☐ No
Rush Turn Around Time Requested or Time Sensitive Analysis:	☐ Yes ☐ No
Short Hold Time Analysis (48 Hours or Less):	☐ Yes ☐ No

Client Notification/ Resolution:

If checked, please see attached form for additional comments ☐

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMS. By releasing the project, the PM acknowledges they have reviewed the sample.

WORK ORDER #:

UG01755

INITIALS:

CB

Drinking Water Bottle Receipt Form

SOC (Synthetic Organic Chemicals)

Method	Description	Bottle Type	Qty	-1	-2	-3	-4	-5	-6	-7	-8
M504	EDB & DBCP	C,V, 40 ml, Na2S2O3	3								
M504 Trip Blank	Trip Blank	C,V, 40 ml, Na2S2O3	2								
M505 (subcontract)	Toxaphene	C,V, 40 ml, Na2S2O3	3								
M515.3/548	Chlorinated Acids/Endothal	A, G, 500 ml, Na2S2O3	2								
M525.3	Semi-Volatiles	A, G, 1000 ml, ASCB, EDTA, KH2CIT	3								
M531	Carbamates	A, V, 60 ml, Na2S2O3 + MCAA	1								
M549.2	Diquat	A, P, 1000 ml, Na2S2O3 + H2SO4	1								
M550	Benzo(a)Pyrene	A, G, 1000 ml, Na2S2O3 + HCl	3								
*M547	Glyphosate	A, V, 60 ml, Na2S2O3	1								
*M547 Trip Blank	Trip Blank	A, V, 60 ml, Na2S2O3	1								

**SOC_W_GLPHOS" & "SOC_IDPH_GROUP A" ONLY

VOC (Volatile Organic Chemicals)

Method	Description	Bottle Type	Qty	-1	-2	-3	-4	-5	-6	-7	-8
M524.2	Regulated Volatile	C,V, 40 ml, ASCB + HCl	3								
M524.2 Trip Blank	Trip Blank	C,V, 40 ml, HCl	3								

IOC (Inorganic Chemicals)

Method	Description	Bottle Type	Qty	-1	-2	-3	-4	-5	-6	-7	-8
*300.0 SO4 & Fluoride Probe	Sulfate by IC/Fluoride Probe	P, 500 ml, Total	1								
**Metals - As, Ba, Be, Cd, Cr, Fe, Hg, Mn, Na, Ni, Sb, Se, Ti, Zn & Turb Check	Metals	P, 250 ml, HNO3, Total	1								
CN-T Kelada DW	Cyanide Total	P, 250 ml, NaOH	1								

*Excluded from "IOC IDPH SHORT LIST"

**Excluded Fe, Mn ,Na ,Ni & Zn from "IOC IDPH SHORT LIST" Fe, Mn ,Na ,Ni & Zn

THM/HAA

Method	Description	Bottle Type	Qty	-1	-2	-3	-4	-5	-6	-7	-8
THM M524	Trihalomethane	C,V, 40 ml, Na2S2O3	4								
HAA M552	Haloacetic Acid	A, V, 60 ML NH4CL	4								

TOC

Method	Description	Bottle Type	Qty	-1	-2	-3	-4	-5	-6	-7	-8
TOC	Total Organic Carbon	A, V, 40 ml, H2SO4	3								

Chlorite/Bromate

Method	Description	Bottle Type	Qty	-1	-2	-3	-4	-5	-6	-7	-8
Bromate (Subcontract)	Bromate	P, 100 ml, EDA	1								
Chlorite (Subcontract)	Chlorite	P, 100 ml, EDA	1								

Lead/Copper

Method	Description	Bottle Type	Qty
Lead/Copper	Lead Copper	P, 1000ml LC	
School Lead	Lead	P, 250ml LC	

PFAS

Method	Description	Bottle Type	Qty	-1	-2	-3	-4	-5	-6	-7	-8
M533	PFAS	533, P, 250mL, C2H7NO2		3		3		3		3	
M533 FRB	PFAS - FRB	533, P, 250mL, C2H7NO2			2		2		2		2
M537.1	PFAS	537.1, P, 250 mL, TRZ									
M537.1 FRB	PFAS - FRB	537.1, P, 250 mL, TRZ									